

SONY

Sony Chemicals Corporation of America

DATAMAX

| code | | description | desc | unit size |
|----------|---------|---------------------|---------|-----------|
| 17247704 | TR4085+ | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17251136 | TR3021 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17251686 | TR3021 | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17253323 | TR3021 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17251929 | TR3021 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17252746 | TR3022 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17250995 | TR3022 | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17251697 | TR3022 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17250364 | TR3022 | 108.0 mm x 360 m IN | DATAMAX | 12 |
| 17250216 | TR3022 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17254324 | TR3022 | 152.4 mm x 360 m IN | DATAMAX | 12 |
| 17250238 | TR3023 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17251712 | TR3024 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17252159 | TR3024 | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17253334 | TR3024 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17254564 | TR3024 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17250294 | TR4050 | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17251000 | TR4050 | 44.0 mm x 360 m IN | DATAMAX | 36 |
| 17250308 | TR4050 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17250319 | TR4050 | 64.0 mm x 360 m IN | DATAMAX | 36 |
| 17250320 | TR4050 | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17250331 | TR4050 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17254221 | TR4050 | 101.6 mm x 360 m IN | DATAMAX | 24 |
| 17250342 | TR4050 | 108.0 mm x 360 m IN | DATAMAX | 12 |
| 17255440 | TR4050 | 110.0 mm x 360 m IN | DATAMAX | 12 |
| 17250353 | TR4050 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17252506 | TR4050 | 130.0 mm x 450 m IN | DATAMAX | 12 |
| 17252517 | TR4050 | 152.4 mm x 450 m IN | DATAMAX | 12 |
| 17251974 | TR4050 | 165.1 mm x 450 m IN | DATAMAX | 12 |
| 17252986 | TR4050 | 220.0 mm x 450 m IN | DATAMAX | 12 |
| 17249810 | TR4085+ | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17254807 | TR4085+ | 56.0 mm x 360 m IN | DATAMAX | 36 |
| 17251099 | TR4085+ | 64.0 mm x 360 m IN | DATAMAX | 36 |
| 17251572 | TR4085+ | 68.0 mm x 360 m IN | DATAMAX | 36 |
| 17251066 | TR4085+ | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17253574 | TR4085+ | 101.6 mm x 360 m IN | DATAMAX | 24 |
| 17251620 | TR4085+ | 110.0 mm x 360 m IN | DATAMAX | 12 |
| 17251217 | TR4085+ | 110.0 mm x 450 m IN | DATAMAX | 12 |
| 17253493 | TR4085+ | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17250548 | TR4085+ | 152.4 mm x 450 m IN | DATAMAX | 12 |
| 17250559 | TR4085+ | 165.1 mm x 450 m IN | DATAMAX | 12 |
| 17250375 | TR4090 | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17252171 | TR4090 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17251491 | TR4090 | 64.0 mm x 360 m IN | DATAMAX | 36 |
| 17251963 | TR5075 | 25.4 mm x 360 m IN | DATAMAX | 48 |
| 17251022 | TR5075 | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17250478 | TR5075 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17250489 | TR5075 | 64.0 mm x 360 m IN | DATAMAX | 36 |
| 17251653 | TR5075 | 68.0 mm x 360 m IN | DATAMAX | 36 |
| 17250490 | TR5075 | 76.2 mm x 360 m IN | DATAMAX | 24 |

| | | | | |
|----------|----------|---------------------|---------|----|
| 17250571 | TR5075 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17250504 | TR5075 | 108.0 mm x 360 m IN | DATAMAX | 12 |
| 17250515 | TR5075 | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17250526 | TR5075 | 152.4 mm x 360 m IN | DATAMAX | 12 |
| 17250537 | TR5075 | 165.1 mm x 450 m IN | DATAMAX | 12 |
| 17253563 | TR5075 | 220.0 mm x 450 m IN | DATAMAX | 12 |
| 17250386 | TR5080 | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17252148 | TR5080 | 44.0 mm x 360 m IN | DATAMAX | 48 |
| 17250397 | TR5080 | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17253080 | TR5080 | 64.0 mm x 360 m IN | DATAMAX | 36 |
| 17253150 | TR5080 | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17250401 | TR5080 | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17250412 | TR5080 | 108.0 mm x 360 m IN | DATAMAX | 12 |
| 17253242 | TR5080 | 130.0 mm x 450 m IN | DATAMAX | 12 |
| 17251011 | TR5080 | 152.4 mm x 450 m IN | DATAMAX | 12 |
| 17253068 | TR5080 | 165.1 mm x 450 m IN | DATAMAX | 12 |
| 17249832 | ValueWax | 38.1 mm x 360 m IN | DATAMAX | 48 |
| 17250423 | ValueWax | 40.0 mm x 360 m IN | DATAMAX | 48 |
| 17249843 | ValueWax | 50.8 mm x 360 m IN | DATAMAX | 36 |
| 17253161 | ValueWax | 56.0 mm x 450 m IN | DATAMAX | 36 |
| 17250227 | ValueWax | 60.0 mm x 360 m IN | DATAMAX | 36 |
| 17251550 | ValueWax | 68.0 mm x 360 m IN | DATAMAX | 36 |
| 17250940 | ValueWax | 76.2 mm x 360 m IN | DATAMAX | 24 |
| 17255417 | ValueWax | 76.2 mm x 450 m IN | DATAMAX | 24 |
| 17250249 | ValueWax | 80.0 mm x 360 m IN | DATAMAX | 24 |
| 17250250 | ValueWax | 89.0 mm x 360 m IN | DATAMAX | 24 |
| 17250261 | ValueWax | 101.6 mm x 360 m IN | DATAMAX | 24 |
| 17251480 | ValueWax | 108.0 mm x 360 m IN | DATAMAX | 12 |
| 17253172 | ValueWax | 108.0 mm x 450 m IN | DATAMAX | 12 |
| 17250272 | ValueWax | 110.0 mm x 360 m IN | DATAMAX | 12 |
| 17250445 | ValueWax | 114.3 mm x 360 m IN | DATAMAX | 12 |
| 17250951 | ValueWax | 130.0 mm x 360 m IN | DATAMAX | 12 |
| 17250283 | ValueWax | 152.4 mm x 360 m IN | DATAMAX | 12 |
| 17250456 | ValueWax | 152.4 mm x 450 m IN | DATAMAX | 12 |
| 17251583 | ValueWax | 165.1 mm x 360 m IN | DATAMAX | 12 |
| 17250467 | ValueWax | 165.1 mm x 450 m IN | DATAMAX | 12 |
| 17251594 | ValueWax | 216.0 mm x 360 m IN | DATAMAX | 12 |
| 17254335 | ValueWax | 216.0 mm x 600 m IN | DATAMAX | 12 |
| 17253437 | TR3024 | 108.0 mm x 360 m IN | DATAMX | 12 |

SONY

Sony Chemicals Corporation of America

DMX

| code | | description | desc | unit size |
|----------|----------|---------------------|--------|-----------|
| 17253415 | ValueWax | 64.0 mm x 360 m IN | DMX | 36 |
| 17248657 | TR4085+ | 60.0 mm x 110 m IN | DMXOVA | 36 |
| 17251033 | TR4085+ | 63.5 mm x 110 m IN | DMXOVA | 48 |
| 17248668 | TR4085+ | 104.0 mm x 110 m IN | DMXOVA | 24 |
| 17250560 | TR4085+ | 110.0 mm x 110 m IN | DMXOVA | 12 |

SONY

Sony Chemicals Corporation of America

EASYPRINT

| code | | description | desc | unit size |
|----------|--------|--------------------|--------|-----------|
| 17254483 | TR4500 | 56.0 mm x 450 m IN | EASYPR | 24 |
| 17252780 | TR5300 | 56.0 mm x 450 m IN | EASYPR | 36 |

SONY

Sony Chemicals Corporation of America

INTERMEC

| code | | description | desc | unit size |
|----------|----------|----------------------|--------|-----------|
| 17253404 | TR4050 | 64.0 mm x 155 m OUT | INTERM | 36 |
| 17252436 | TR4050 | 80.0 mm x 155 m OUT | INTERM | 24 |
| 17250593 | TR4050 | 104.0 mm x 155 m OUT | INTERM | 24 |
| 17254704 | TR4085+ | 104.0 mm x 155 m OUT | INTERM | 24 |
| 17255462 | TR4085+ | 114.3 mm x 457 m OUT | INTERM | 12 |
| 17252045 | TR4085+ | 152.4 mm x 155 m OUT | INTERM | 12 |
| 17250582 | TR5075 | 104.0 mm x 155 m OUT | INTERM | 24 |
| 17252067 | ValueWax | 56.0 mm x 153 m OUT | INTERM | 36 |
| 17252056 | ValueWax | 104.0 mm x 155 m OUT | INTERM | 24 |
| 17252065 | ValueWax | 104.0 mm x 155 m OUT | INTERM | 24 |

SONY

Sony Chemicals Corporation of America

LEPTON

| code | | description | desc | unit size |
|----------|----------|---------------------|--------|-----------|
| 17252230 | TR4050 | 40.0 mm x 180 m IN | LEPTON | 48 |
| 17252528 | TR4050 | 110.0 mm x 250 m IN | LEPTON | 12 |
| 17251044 | TR4085+ | 40.0 mm x 180 m IN | LEPTON | 48 |
| 17255277 | TR4085+ | 50.8 mm x 180 m IN | LEPTON | 36 |
| 17250629 | TR4085+ | 80.0 mm x 250 m IN | LEPTON | 24 |
| 17250618 | TR5075 | 40.0 mm x 250 m IN | LEPTON | 48 |
| 17252229 | TR5075 | 60.0 mm x 200 m IN | LEPTON | 36 |
| 17249821 | TR5075 | 80.0 mm x 250 m IN | LEPTON | 24 |
| 17250607 | TR5075 | 110.0 mm x 250 m IN | LEPTON | 12 |
| 17251505 | TR5080 | 80.0 mm x 250 m IN | LEPTON | 24 |
| 17251952 | ValueWax | 40.0 mm x 180 m IN | LEPTON | 48 |
| 17253079 | ValueWax | 50.8 mm x 180 m IN | LEPTON | 36 |

SONY

Sony Chemicals Corporation of America

SATO

| code | | description | desc | unit size |
|----------|----------|---------------------|------|-----------|
| 17254715 | TR4050 | 33.0 mm x 300 m IN | SATO | 48 |
| 17254988 | TR4050 | 44.0 mm x 410 m IN | SATO | 48 |
| 17254667 | TR4050 | 50.8 mm x 300 m IN | SATO | 36 |
| 17254656 | TR4050 | 64.0 mm x 300 m IN | SATO | 36 |
| 17252757 | TR4050 | 76.2 mm x 210 m IN | SATO | 24 |
| 17254645 | TR4050 | 76.2 mm x 300 m IN | SATO | 24 |
| 17253529 | TR4050 | 76.2 mm x 410 m IN | SATO | 24 |
| 17255255 | TR4050 | 83.0 mm x 410 m IN | SATO | 24 |
| 17253530 | TR4050 | 89.0 mm x 410 m IN | SATO | 24 |
| 17254818 | TR4050 | 110.0 mm x 300 m IN | SATO | 12 |
| 17251228 | TR4050 | 110.0 mm x 410 m IN | SATO | 12 |
| 17251767 | TR4050 | 110.0 mm x 410 m IN | SATO | 12 |
| 17251321 | TR4050 | 130.0 mm x 410 m IN | SATO | 12 |
| 17251745 | TR4050 | 130.0 mm x 410 m IN | SATO | 12 |
| 17255303 | TR4085+ | 101.6 mm x 410 m IN | SATO | 24 |
| 17255299 | TR4085+ | 152.4 mm x 410 m IN | SATO | 12 |
| 17251055 | TR5075 | 50.8 mm x 210 m IN | SATO | 36 |
| 17254760 | ValueWax | 110.0 mm x 300 m IN | SATO | 12 |

SONY

Sony Chemicals Corporation of America

TEC

| code | | description | desc | unit size |
|----------|--------|----------------------|--------|-----------|
| 17255266 | TR4500 | 114.3 mm x 600 m OUT | TEC572 | 12 |
| 17254173 | TR4570 | 101.6 mm x 600 m OUT | TEC572 | 12 |
| 17251239 | TR4065 | 120.0 mm x 300 m IN | TEC602 | 12 |
| 17255381 | TR4065 | 167.0 mm x 300 m IN | TEC602 | 12 |
| 17251192 | TR4500 | 114.3 mm x 300 m OUT | TEC872 | 12 |
| 17253297 | TR4500 | 165.1 mm x 300 m OUT | TEC872 | 12 |
| 17254302 | TR4500 | 50.8 mm x 600 m OUT | TECBX | 12 |
| 17250641 | TR4500 | 56.0 mm x 600 m OUT | TECBX | 24 |
| 17251778 | TR4500 | 56.0 mm x 600 m OUT | TECBX | 12 |
| 17254793 | TR4500 | 60.0 mm x 600 m OUT | TECBX | 24 |
| 17254944 | TR4500 | 71.0 mm x 600 m OUT | TECBX | 12 |
| 17254759 | TR4500 | 76.2 mm x 600 m OUT | TECBX | 12 |
| 17255358 | TR4500 | 80.0 mm x 600 m OUT | TECBX | 12 |
| 17252034 | TR4500 | 83.0 mm x 600 m OUT | TECBX | 12 |
| 17251088 | TR4500 | 89.0 mm x 600 m OUT | TECBX | 12 |
| 17251181 | TR4500 | 101.6 mm x 600 m OUT | TECBX | 12 |
| 17253596 | TR4500 | 104.0 mm x 600 m OUT | TECBX | 12 |
| 17252126 | TR4500 | 110.0 mm x 600 m OUT | TECBX | 12 |
| 17250630 | TR4500 | 114.3 mm x 600 m OUT | TECBX | 12 |
| 17251756 | TR4500 | 130.0 mm x 600 m OUT | TECBX | 12 |

SONY

Sony Chemicals Corporation of America

VALENT

| code | | description | desc | unit size |
|----------|----------|----------------------|--------|-----------|
| 17254690 | TR4090 | 33.0 mm x 300 m OUT | VALENT | 48 |
| 17254933 | TR4500 | 76.2 mm x 300 m OUT | VALENT | 24 |
| 17250962 | TR4500 | 152.4 mm x 300 m OUT | VALENT | 12 |
| 17255439 | ValueWax | 110.0 mm x 300 m OUT | VALENT | 12 |

SONY

Sony Chemicals Corporation of America

UBI

| code | | description | desc | unit size |
|----------|----------|---------------------|--------|-----------|
| 17253585 | TR4050 | 40.0 mm x 300 m IN | UBI301 | 48 |
| 17251516 | TR5080 | 110.0 mm x 210 m IN | UBI301 | 12 |
| 17252458 | TR3022 | 89.0 mm x 450 m IN | UBI501 | 24 |
| 17254678 | TR4050 | 110.0 mm x 300 m IN | UBI501 | 12 |
| 17253264 | TR4050 | 110.0 mm x 450 m IN | UBI501 | 12 |
| 17254748 | TR4065 | 110.0 mm x 300 m IN | UBI501 | 12 |
| 17254195 | TR4085+ | 50.8 mm x 450 m IN | UBI501 | 36 |
| 17254472 | TR4085+ | 60.0 mm x 450 m IN | UBI501 | 36 |
| 17254209 | TR4085+ | 80.0 mm x 450 m IN | UBI501 | 24 |
| 17254368 | TR5080 | 110.0 mm x 300 m IN | UBI501 | 12 |
| 17254966 | ValueWax | 38.1 mm x 300 m IN | UBI501 | 48 |
| 17254977 | ValueWax | 110.0 mm x 300 m IN | UBI501 | 12 |

SONY

Sony Chemicals Corporation of America

ZEBRA

| code | | description | desc | unit size |
|----------|----------|----------------------|-------|-----------|
| 17254726 | TR3022 | 216.0 mm x 300 m OUT | ZEBRA | 12 |
| 17254999 | TR4050 | 50.8 mm x 300 m OUT | ZEBRA | 36 |
| 17253448 | TR4050 | 60.0 mm x 300 m OUT | ZEBRA | 36 |
| 17254508 | TR4050 | 60.0 mm x 450 m OUT | ZEBRA | 36 |
| 17253541 | TR4050 | 80.0 mm x 300 m OUT | ZEBRA | 24 |
| 17255451 | TR4050 | 83.0 mm x 300 m OUT | ZEBRA | 24 |
| 17252023 | TR4050 | 83.0 mm x 450 m OUT | ZEBRA | 24 |
| 17251871 | TR4050 | 89.0 mm x 450 m OUT | ZEBRA | 24 |
| 17250652 | TR4050 | 110.0 mm x 300 m OUT | ZEBRA | 12 |
| 17250973 | TR4050 | 110.0 mm x 450 m OUT | ZEBRA | 12 |
| 17251882 | TR4050 | 130.0 mm x 450 m OUT | ZEBRA | 12 |
| 17254298 | TR4050 | 152.4 mm x 300 m OUT | ZEBRA | 12 |
| 17249016 | TR4085+ | 40.0 mm x 450 m OUT | ZEBRA | 48 |
| 17252425 | TR4085+ | 50.8 mm x 300 m OUT | ZEBRA | 36 |
| 17254874 | TR4085+ | 60.0 mm x 450 m OUT | ZEBRA | 36 |
| 17251631 | TR4085+ | 68.0 mm x 300 m OUT | ZEBRA | 36 |
| 17251642 | TR4085+ | 110.0 mm x 300 m OUT | ZEBRA | 12 |
| 17255369 | TR4085+ | 152.4 mm x 300 m OUT | ZEBRA | 12 |
| 17255071 | TR4085+ | 152.4 mm x 450 m OUT | ZEBRA | 12 |
| 17251893 | TR4085+ | 220.0 mm x 300 m OUT | ZEBRA | 12 |
| 17251527 | TR4090 | 40.0 mm x 300 m OUT | ZEBRA | 48 |
| 17253253 | TR5075 | 50.8 mm x 300 m OUT | ZEBRA | 36 |
| 17250685 | TR5075 | 60.0 mm x 300 m OUT | ZEBRA | 36 |
| 17251664 | TR5075 | 68.0 mm x 300 m OUT | ZEBRA | 36 |
| 17253390 | TR5075 | 110.0 mm x 300 m OUT | ZEBRA | 12 |
| 17254210 | TR5075 | 130.0 mm x 300 m OUT | ZEBRA | 12 |
| 17250984 | TR5080 | 50.8 mm x 300 m OUT | ZEBRA | 36 |
| 17253057 | TR5080 | 110.0 mm x 300 m OUT | ZEBRA | 12 |
| 17252931 | TR5080 | 152.4 mm x 300 m OUT | ZEBRA | 12 |
| 17252160 | ValueWax | 40.0 mm x 300 m OUT | ZEBRA | 48 |
| 17254955 | ValueWax | 40.0 mm x 450 m OUT | ZEBRA | 48 |
| 17250663 | ValueWax | 50.8 mm x 300 m OUT | ZEBRA | 36 |
| 17253116 | ValueWax | 50.8 mm x 450 m OUT | ZEBRA | 36 |
| 17251468 | ValueWax | 60.0 mm x 300 m OUT | ZEBRA | 36 |
| 17249854 | ValueWax | 60.0 mm x 450 m OUT | ZEBRA | 36 |
| 17253231 | ValueWax | 64.0 mm x 300 m OUT | ZEBRA | 36 |
| 17251608 | ValueWax | 68.0 mm x 300 m OUT | ZEBRA | 36 |
| 17252735 | ValueWax | 76.2 mm x 450 m OUT | ZEBRA | 24 |
| 17253552 | ValueWax | 80.0 mm x 300 m OUT | ZEBRA | 24 |
| 17255428 | ValueWax | 89.0 mm x 300 m OUT | ZEBRA | 24 |
| 17254379 | ValueWax | 89.0 mm x 450 m OUT | ZEBRA | 24 |
| 17254287 | ValueWax | 101.6 mm x 450 m OUT | ZEBRA | 24 |
| 17251479 | ValueWax | 110.0 mm x 300 m OUT | ZEBRA | 12 |
| 17250674 | ValueWax | 110.0 mm x 450 m OUT | ZEBRA | 12 |
| 17253183 | ValueWax | 152.4 mm x 300 m OUT | ZEBRA | 12 |
| 17253275 | ValueWax | 216.0 mm x 300 m OUT | ZEBRA | 12 |